

SECTION 1: Identification

Product identifier

Product name California Green, Multipurpose Cleaner Concentrate

Product number 187000.1000

Recommended use of the chemical and restrictions on use

Multipurpose cleaner

Supplier's details

Name California Prison Industry Authority
Address CSP-Los Angeles County
44750 60th Street West
Lancaster CA 93536
USA

Telephone (661) 729-2000 Ext. #7930

Emergency phone number(s)

1 (800) 424-9300

SECTION 2: Hazard identification

Classification of the substance or mixture

GHS classification in accordance with: (US) OSHA (29 CFR 1910.1200)

- Eye damage/irritation, Cat. 2A

GHS label elements, including precautionary statements

Pictogram



Signal word

Warning

Hazard statement(s)

H319

Causes serious eye irritation

Precautionary statement(s)

P264

Wash hands thoroughly after handling.

P280

Wear eye protection/face protection.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P337+P313

If eye irritation persists: Get medical advice/attention.

SECTION 3: Composition/information on ingredients**Mixtures****Hazardous components****1. Dipropylene glycol butyl ether**

Concentration 5 - 15 % (weight)
CAS no. 29911-28-2

2. Caprylyl/capryl glucoside

Concentration 1 - 3 % (weight)
CAS no. 68515-73-1

3. Lauryl glucoside

Concentration 0.5 – 2 % (weight)
CAS no. 110615-47-9

Trade secret statement (OSHA 1910.1200(i))

Exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4: First-aid measures**Description of necessary first-aid measures**

General advice	In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).
If inhaled	Remove person to fresh air and keep comfortable for breathing. Acute and delayed symptoms and effects: May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.
In case of skin contact	Wash with water. Call a poison center or doctor if irritation develops or persists. Acute and delayed symptoms and effects: May cause skin irritation. Signs/symptoms may include localized redness, swelling, and itching.
In case of eye contact	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention/advice. Acute and delayed symptoms and effects: Causes serious eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.
If swallowed	Call a poison center or doctor if you feel unwell. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Acute and delayed symptoms and effects: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Most important symptoms/effects, acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Indication of immediate medical attention and special treatment needed, if necessary

No data available.

SECTION 5: Fire-fighting measures**Suitable extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific hazards arising from the chemical

Carbon oxides.

Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Wear respiratory protection if necessary. Avoid breathing mist, vapors and spray. Ensure adequate ventilation.

Evacuate personnel to safe areas.

For personal protection see section 8.

Environmental precautions

Do not let concentrated product enter drains.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of in accordance with local and national regulations. Keep in suitable, closed containers for disposal.

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage**Precautions for safe handling**

Do not swallow. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. See Section 8 for information on Personal Protective Equipment.

Conditions for safe storage, including any incompatibilities

Store in a well ventilated place. Keep container tightly closed. Store between the following temperatures: 40 and 120 Fahrenheit and out of direct sunlight and away from incompatible materials. See Section 10 for information on Incompatible Materials. Keep out of reach of children.

Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection**Appropriate engineering controls**

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, gas, etc.) below recommended exposure limits.

Individual protection measures, such as personal protective equipment (PPE)**Eye/face protection**

Safety glasses. Use equipment for eye protection that meets the standards referenced by OSHA regulations in 29 CFR 1910.133 for Personal Protective Equipment.

Skin protection

Wear protective gloves (rubber, chemical resistant). Consult manufacturer specifications for further information.

Body protection

Wear protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Not required under normal use conditions.

Thermal hazards

No data available.

Environmental exposure controls

Do not let concentrated product enter drains.

SECTION 9: Physical and chemical properties**Information on basic physical and chemical properties**

Appearance/form (physical state, color, etc.)	Yellow/orange liquid
Odor	Light citrus
Odor threshold	No data available.
pH	10-11.4
Melting point/freezing point	No data available.
Initial boiling point and boiling range	No data available.
Flash point	No data available.
Evaporation rate	No data available.
Flammability (solid, gas)	No data available.
Upper/lower flammability limits	No data available.
Upper/lower explosive limits	No data available.
Vapor pressure	No data available.
Vapor density	No data available.
Relative density	1.003 (Water = 1)
Solubility(ies)	Soluble in water
Partition coefficient: n-octanol/water	No data available.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
Viscosity	No data available.
Explosive properties	No data available.
Oxidizing properties	No data available.

SECTION 10: Stability and reactivity**Reactivity**

Stable under recommended storage conditions.

Chemical stability

Stable under normal storage conditions.

Possibility of hazardous reactions

No data available.

Conditions to avoid

Incompatible products.

Incompatible materials

Strong acids. Strong bases. Strong oxidizers.

Hazardous decomposition products

No data available.

SECTION 11: Toxicological information**Information on toxicological effects****Acute toxicity**

Likely Routes of Exposure: Eye contact. Skin contact. Inhalation. Ingestion.

Component Toxicity:

Lauryl glucoside

LD50 Oral - Rat - >5,000 mg/kg

LD50 Skin - Rabbit - >5,000 mg/kg

LC50 Inhalation - >20 mg/l (vapor) ATE >5 mg/l (mist) ATE

Caprylyl/capryl glucoside

LD50 Oral - Rat - >5,000 mg/kg

LC50 Inhalation - >20 mg/l (vapor) ATE >5 mg/l (mist) ATE

LD50 Skin - Rabbit - >5,000 mg/kg

Dipropylene glycol butyl ether

LD50 Oral - Rat - 4,000 mg/kg

LD50 Skin - Rat - 2,000 mg/kg

Symptoms (including delayed and immediate effects):**Inhalation**

May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Ingestion

May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Skin corrosion/irritation

May cause skin irritation. Signs/symptoms may include localized redness, swelling, and itching.

Serious eye damage/irritation

Causes serious eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Respiratory or skin sensitization

No data available.

Germ cell mutagenicity

No data available.

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available.

STOT-single exposure

No data available.

STOT-repeated exposure

No data available.

Aspiration hazard

No data available.

SECTION 12: Ecological information**Toxicity**

No data available on product

Components:

Lauryl glucoside

LC50 - Fish - 10-100 mg/l - 96 h

EC50 - Daphnia magna (water flea) - 10-100 mg/l - 48 h

EC50 - Desmodesmus subspicatus (chodat) - 10-100 mg/l - 72 h

Caprylyl/capryl glucoside

LC50 - Fish - 10-100 mg/l - 96 h

EC50 - Desmodesmus subspicatus (chodat) - 10-100 mg/l - 72 h

EC50 - Daphnia magna (water flea) - 10-100 mg/l - 48 h

LC50 - Daphnia magna (water flea) - >1,000 mg/l - 48 h

LC50 - Poecilia reticulata (guppy) - 841 mg/l - 96 h

Dipropylene glycol butyl ether

LC50 - Daphnia magna (water flea) - >1,000 mg/l - 48 h

LC50 - Poecilia reticulata (guppy) - 841 mg/l - 96 h

Persistence and degradability

No data available on product

Components:

Lauryl glucoside

Readily biodegradable (according to OECD criteria).

Dipropylene glycol butylether: Material is readily biodegradable

Bioaccumulative potential

No data available on product

Components:

Lauryl glucoside

Significant accumulation in organisms is not to be expected.

Dipropylene glycol butyl ether: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Mobility in soil

No data available.

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects

No data available.

SECTION 13: Disposal considerations**Disposal of the product**

Disposal should be in accordance with applicable Federal, State and local laws and regulations. Local regulations may be more stringent than State or Federal requirements.

Disposal of contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information**DOT (US)**

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

SECTION 15: Regulatory information**Safety, health and environmental regulations specific for the product in question****SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

New Jersey Right To Know Components

Di(propylene glycol) butyl ether, mixture of isomers
CAS: 29911-28-2

Pennsylvania Right To Know Components

Di(propylene glycol) butyl ether, mixture of isomers
CAS: 29911-28-2

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

California Cleaning Product Right to Know Act of 2017 (SB 258)

Component name	CAS number	Function
Dipropylene glycol butoxy ether	29911-28-2	Solvent
Caprylyl/capryl glucoside	68515-73-1	Surfactant
Lauryl glucoside	110615-47-9	Surfactant

SECTION 16: Other information**Further information/disclaimer**

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall California Prison Industry Authority be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if California Prison Industry Authority has been advised of the possibility of such damages.